


typit[®]

Now over 1,000 stock symbols available!

to make typewritten symbols in reports and proposals easy to produce, technically accurate and visually perfect in 4 seconds



SELECT TYPIT[®] SYMBOL



INSERT IN TYPEWRITER



STRIKE ANY KEY

STOCK NO. †			Symbol & Description	Stk. No. ‡	Symbol	Stk. No. ‡	Symbol & Description	Stk. No. ‡	Symbol & Description	Stk. No. ‡	Symbol & Description			
Pica	Elite	B.F.*												
			I. GREEK ALPHABET		II MISC. GREEK		VII SUBSCRIPTS		XI TECHNICAL AND SCIENTIFIC SYMBOLS		XII TECH. & SCIENTIFIC (Continued)			
					The Symbols print below the line Example X_2									
5	188	331	α Alpha, l.c.	785	π 824	471	κ	110	226	To form a two line integral (two Typits req'd)	1	$\div$ Divided by		
6	189	332	β Beta, l.c.	597	π 825	922	ψ	111	227		61	$+$ Plus		
10	193	333	γ Gamma, l.c.	801	τ 826	1008	Δ	50	178	To extend two line integral use straight line symbol appropriate for machine	63	$\times$ Times		
8	191	334	δ Delta, l.c.	813	ρ 921			172	232		64	$=$ Equals		
9	192	335	ϵ Epsilon, l.c.	III SUBSCRIPT GREEK (Prints below line)		VIII ALPHABETICAL SUBSCRIPTS (Lower Case)		173	228	Symbols used to form	65	$\angle$ Angle		
27	210	336	ζ Zeta, l.c.	582	μ 932	ϵ	56	174	230	variations of the	66	$\equiv$ Identical to		
11	194	337	η Eta, l.c.	585	σ 933	κ	501	175	231	Benzene Ring	67	$\neq$ Not Equal		
24	207	338	θ Theta, l.c.	830	ϕ 934	λ	502	178	232		68	$\because$ Because, S		
12	195	339	ι Iota, l.c.	930	α 935	ν	503	179	233		69	$\therefore$ Therefore		
13	196	340	κ Kappa, l.c.	931	β 936	γ	504	105		Reverse Diagonal	70	$\pm$ Plus or Minus		
14	197	341	λ Lambda, l.c.	IV SUPERSCRIPTS		IX ALPHABETICAL SUBSCRIPTS (Upper Case)		106		$\geq$ Greater Than or Equal	71	$\int$ Integral		
15	198	342	μ Mu, l.c.	These Symbols print in exponential positions. Example X^2		505	506	107		$\leq$ Less Than or Equal	72	$\mp$ Minus or Plus		
16	199	343	ν Nu, l.c.	41	1 48	8 581	14	108		Arc	73	$\approx$ Approx. Equal		
26	209	344	ξ Xi, l.c.	42	2 49	9 586	,	109		Similar, Cycle	74	$\sqrt{}$ Radical		
2	202	345	π Pi, l.c.	43	3 50	0 644	—	112		ϕ Phase	75	$\sqrt{}$ Square Root		
21	204	346	ρ Rho, l.c.	44	4 381	+ 786	(	992		ϕ Phase (lge.)	76	$\sqrt{}$ Square Root		
22	205	347	σ Sigma, l.c.	45	5 378	x 787	)	113		$\circ$ Degree	77	$'$ Prime, Single		
23	206	348	τ Tau, l.c.	46	6 409	- 910	/	598		λ Bar Lambda	78	$'$ Prime, Double		
25	208	349	υ Upsilon, l.c.	47	7 472	• 782	—	114		∞ Infinity	79	$'$ Prime, Triple		
18	201	350	ϕ Phi, l.c.	V ALPHABETICAL SUPERSCRIPTS (Lower Case)		283	A 292	J 301	S					
7	190	351	χ Chi, l.c.	735	a 744	j 753	s	284	B 293	K 302	T			
20	203	352	ψ Psi, l.c.	736	b 745	k 754	t	285	C 294	L 303	U			
17	200	353	ω Omega, l.c.	737	c 746	l 755	u	286	D 295	M 304	V			
29	213	354	Γ Gamma, u.c.	738	d 747	m 756	v	287	E 296	N 305	W			
28	212	355	Δ Delta, u.c.	739	e 748	n 757	w	288	F 297	O 306	X			
19	n.a.	n.a.	ϵ Epsilon, u.c.	740	f 749	o 758	x	289	G 298	P 307	Y			
40	224	n.a.	ζ Zeta, u.c.	741	g 750	p 759	y	290	H 299	Q 308	Z			
37	221	356	Θ Theto, u.c.	742	h 751	q 760	z	291	I 300	R —				
30	214	357	Λ Lambda, u.c.	743	i 752	r		X FRACTIONS						
39	223	358	Ξ Xi, u.c.	VI (Upper Case)		248	$\frac{1}{32}$ 260	$\frac{13}{32}$ 272	$\frac{25}{32}$	135	$\parallel$ Parallel Rising Diagonal	86	∇ Nabla	
33	217	359	Π Pi, u.c.	962	A 972	K 982	U	249	$\frac{1}{16}$ 261	$\frac{7}{16}$ 273	138	$\updownarrow$ Reversible Chem. Reaction	87	∂ Differentia
35	219	360	Σ Sigma, u.c.	963	B 973	L 983	V	250	$\frac{3}{32}$ 262	$\frac{15}{32}$ 274	140	$\frac{1}{4}$ Millimeter	100	$\square$ Square
994	n.a.	n.a.	Σ Sigma, Lge.	964	C 974	M 984	W	251	$\frac{1}{8}$ 263	$\frac{1}{2}$ 275	141	$\mathcal{M}$ Minim	101	$\square$ Rectangle
36	n.a.	n.a.	τ Tau, u.c.	965	D 975	N 985	X	252	$\frac{5}{32}$ 264	$\frac{17}{32}$ 276	142	♂ Male	102	$<$ Less Than
38	222	364	Υ Upsilon, u.c.	966	E 976	O 986	Y	253	$\frac{3}{16}$ 265	$\frac{9}{16}$ 277	143	♀ Female	103	$>$ Greater Than
32	216	361	Φ Phi, u.c.	967	F 977	P 987	Z	254	$\frac{7}{32}$ 266	$\frac{19}{32}$ 278	144	$\circ$ Eye	104	$\propto$ Varies
34	218	362	Ψ Psi, u.c.	968	G 978	Q 987		255	$\frac{1}{4}$ 267	$\frac{5}{8}$ 383	145	I Beam	147	$\searrow$ Cycle
31	215	363	Ω Omega, u.c.	969	H 979	R 987		256	$\frac{3}{32}$ 268	$\frac{21}{32}$ 384	146	W Wide Flange	148	HP Horsepower
n.a.	591	n.a.	$\bar{\chi}$ Chi Bar	970	I 980	S 987		257	$\frac{5}{16}$ 269	$\frac{11}{16}$ 939	917	$\leftarrow$ Is Formed From	151	$\uparrow$ Passes off
			*Bold Face	971	J 981	T 987		258	$\frac{11}{32}$ 270	$\frac{23}{32}$ 941	918	$\rightarrow$ Formed From or Yields	152	$\downarrow$ Precipitate
								259	$\frac{3}{8}$ 271	$\frac{3}{4}$ 942	916	$\rightarrow$ Yields	166	Rx Prescriptive
													167	oz Ounce

† NOTE — For proportional spacing machines (IBM Executive, for example) order pica or bold face size.

Second symbol shown under description is bold face. Bold face is recommended only for proportional spacing machines. n.a. — not available.

SYMBOLS AVAILABLE FROM STOCK — IMMEDIATE D

SYMBOLS SHOWN TRUE SIZE — AS PRINTED ON STANDARD TYPEWRITER

(Typit Symbols Print Well with Any Ribbon)

Description	Stk. No.†	Symbol & Description	Stk. No.†	Symbol & Description	Stk. No.†	Symbol & Description	Stk. No.†	Symbol & Description	Stk. No.†	Symbol & Description
CIEN- (t.)		XII TECH. & SCIEN- TIFIC (Cont.)		XII TECH. & SCIEN- TIFIC (Cont.)		XIV BRACKETS & BRACES		XVI MISCELLANEOUS		XVI MISCELL
		616 $\geq$ Follows or Equal		919 $\left. \right\}$ Large Paren., r*		3 $\textcircled{R}$ Registered		877 D Small D u		
168 $\int$ Dram		622 $\int$ Integral*		920 $\left. \right\}$ Large Paren., l*		131 $\S$ Section		878 L Small L u		
169 $\int$ Scruple		645 $\frac{\infty}{\infty}$ PPH		120 $\langle$ Angle Bracket, l.		132 $\P$ Paragraph		881 ★ Solid Star		
4 $\sum$ Large Sigma*		652 $\nearrow$ Arrow N.E.		121 $\rangle$ Angle Bracket, r.		137 $\wedge$ Caret		777 Subscript		
165 $\int$ Large Integral*		653 $\searrow$ Arrow S.E.		122 $\ll$ Special Bracket, l.		149 $\ddagger$ Double Dagger		778 $\perp$ Subscript		
171 $\sqrt{}$ Large Radical*		654 $\swarrow$ Arrow S.W.		123 $\gg$ Special Bracket, r.		150 $\dagger$ Single Dagger		821 ▲ Solid trian		
366 $\vee$ Or		655 $\nwarrow$ Arrow N.W.		124 $\square$ Square Bracket, r.		940 $\equiv$ Tripple Dagger		822 — Horizontal		
367 $\wedge$ And		385 ■ Square		125 $\square$ Square Bracket, l.		995 $\dagger$ Single Bar Dagger		875 I 14 pt. I u.		
369 $\cup$ Union		386 ● Bullet		126 $\{$ Brace, left		820 $\equiv$ Double Dagger		952 □ Lozenge		
370 $\cap$ Intersection		387 ◆ Diamond		127 $\}$ Brace, right		133 $\pounds$ Pound Sterling		1054 $\perp$ Subscript		
1039 $\cup$ Union (lge.)		388 ▲ Triangle		155 $\lceil$ Arrow Bracket, u.l.		311 $\%$ Percent		1048 $\perp$ Subscript		
1040 $\cap$ Intersection (lge.)		643 $\oplus$ Circle Plus		156 $\lfloor$ Arrow Bracket, l.l.		1051 $\%$ Percent		1052 $\textcircled{O}$ Inspection		
371 $\subset$ Is contained		649 $\odot$ Scattered		157 $\lceil$ Arrow Bracket, u.r.		312 $\$$ Dollar		1035 $\textcircled{X}$ 1049		
372 $\supset$ Containing		650 $\oplus$ Overcast		158 $\lfloor$ Arrow Bracket, l.r.		313 $\#$ Number		1036 $\textcircled{X}$ 1050		
617 $\subseteq$ Contains or Equal		651 $\textcircled{O}$ Broken		159 $\sqcap$ Quadrant, u.l.		319 $\oplus$ Maltese Cross		1037 $\textcircled{X}$ 1058		
618 $\supseteq$ Containing or Eq.		584 ∇ Vector		160 $\sqcup$ Quadrant, l.l.		1006 $\boxplus$ Keystone				XVII LANGU
619 $\equiv$ Grt. Than or Eq.		657 $\hbar$ h-Bar		161 $\sqcap$ Quadrant, u.r.		1031 $\#$ Fence		180 $\acute{}$ Acute Acc		
620 $\equiv$ Less Than or Eq.		395 Ω ohm		162 $\sqcup$ Quadrant, l.r.		327 $\heartsuit$ Hearts		181 $\grave{}$ Grave Acc		
373 $\aleph$ Aleph (Hebrew)		793 $\parallel$ Symbols		153 $\square$ Large Square Bracket, l.*		328 $\diamondsuit$ Diamonds		182 Breve		
374 $\neg$ Not		794 $\parallel$ For		154 $\square$ Large Square Bracket, r.*		329 $\clubsuit$ Clubs		183 Macron		
375 $\in$ Membership		795 $\diagup$ Organic		163 $\{$ Large Brace, l.*		326 $\spadesuit$ Spades		184 $\ddot{}$ Umlaut		
376 $\mathcal{H}$ Hamiltonian		796 $\diagdown$ Equations		164 $\}$ Large Brace, r.*		330 $\copyright$ Copyright		185 $\circ$ Circumflex		
407 $\Leftrightarrow$ Bi-conditional		797 —		246 $\left(\right)$ Large Paren., l.*		365 $*$ Asterisk		187 $\textcircled{+}$ Modified M		
408 $\Rightarrow$ Implication		783 $\hbar$ h Bar (pica)		247 $\left. \right\}$ Large Paren., r.*		324 $\bigcirc$ Circle 3/16 Dia.		279 Cedilla		
393 $\supset$ Rev. Membership		788 $\perp$ Perpendicular to		957 $\left[\right]$ Extra Bold Brack.		466 V Roman Num. Five		280 Klicka		
396 $\circ$ Circle over u.c.		800 C Centerline		958 $\left[\right]$ Extra Bold Brack.		382 $\&$ Ampersand		281 Polish Ho		
491 f General Function		810 δ Reduction				390 $\sim$ Wavy Underscore		282 $\sim$ Tilde		
532 $\S$ Standard Taper		811 $\mathcal{J}$ Jacobian J				589 $()$ Parenthesis, l.		134 $!$ Exclamation		
530 $\exists$ Exist. Quantifier		812 ∇ Modified Nabla				590 $)$ Parenthesis, r.		314 $?$ Question		
592 B Steradian		814 ∇ Nabla				535 $\circ$ Small Circle		315 $!$ Exclamation		
527 μ Micron		823 $\approx$ Approx. Ident. To				529 $\cent$ Cent Sign		318 $"$ Quotes (H		
578 $\ominus$ Circle Minus		879 $\geq$ Gr. than Approx. Eq. To				528 $\textcircled{A}$ "At" Sign		320 $\diagup$ Bar for u.		
579 $\oplus$ Circle Plus		880 $\leq$ Less than Approx. Eq. To				580 TM Trade Mark		321 $\diagup$ Bar for l.c.		
648 $\approx$ Equivalent to						595 1 One		322 $\circ$ Circle over		
761 $\text{\AA}$ Angstrom		XIII ZODIAC SYMBOLS				779 v lower case		396 $\circ$ Circle over		
601 $\text{\textcircled{M}}$ Moon		803 $\text{\textcircled{L}}$ Libra				780 $\wedge$ Upside down V l.c.		470 $\dots$ Three dots		
603 $\text{\textcircled{S}}$ Sun		804 $\text{\textcircled{A}}$ Aries				781 V V Upper Case		587 $"$ Quotes, l.l.		
604 $\text{\textcircled{B}}$ Ball Satellite		805 $\text{\textcircled{M}}$ Mercury				784 g g l.c.		588 $"$ Quotes, r.l.		
613 $<$ Precedes		806 $\text{\textcircled{N}}$ Neptune				791 $*$ Asterisk (elite)		593 ~ Grave Acc		
		807 $\text{\textcircled{U}}$ Uranus				792 $\star$ Star (elite)		733 $:$ Colon		
		808 $\text{\textcircled{P}}$ Pluto				815 $\text{\textcircled{I}}$ Script "I"		734 $"$ Quotes		
		809 $\text{\textcircled{J}}$ Jupiter						639 $'$ Apostroph		
		912 $\text{\textcircled{S}}$ Saturn						474 $?$ Question		

† NOTE — These symbols are sized according to their usage and will fit any text — pica, elite, or proportional spaced.

Description	Stk. No. ‡	Symbol & Description	Stk. No. ‡	Symbol & Description	Stk. No. ‡	Symbol & Description	Stk. No. ‡	Symbol	Stk. No. ‡	Symbol
ANEALOUS	XVIII	MISC. LANGUAGE	XIX	LANGUAGE	XX	ITALICS, PICA SIZE (Upper Case)	XXIII	GERMAN SCRIPT, PICA (Upper Case)	XXV	RUSSIAN ALPHABET (ELITE SIZE)
	799	;	492	“EZH”, l.c.	413	A 422 J 431 S	658	U 666 J 675 G	831	Б 850 б
	827	Superior bow	493	“EZH”, u.c.	414	B 423 K 432 T	659	B 667 R 676 Z	n.a.	851 В
	828	Inferior bow	494	Turned e	415	C 424 L 433 U	660	C 668 D 677 U	n.a.	852 Г
	829	Dot	495	Eng., Angma	416	D 425 M 434 V	661	D 669 M 678 B	n.a.	853 Д
Parallel	762	ä a Breve	726	I Open i	417	E 426 N 435 W	662	E 670 N 679 B	832	И 854 и
Perpendicular	763	Å A Breve	727	O Open a	418	F 427 O 436 X	90	U 671 D 680 X	833	Ж 855 з
	764	â a Circumflex	728	Q Back a	419	G 428 P 437 Y	663	G 672 P 681 Y	834	З 856 и
	765	Â A Circumflex	729	U Open u	420	H 429 Q 438 Z	664	H 673 Q 682 B	835	И 857 и
	768	ê e Circumflex	730	Mid Vowel, r-like	421	I 430 R	665	I 674 R	836	Й 858 К
	769	Ê E Circumflex	731	Mid Vowel	439	a 448 j 457 s		(Lower Case)	n.a.	859 Л
	770	ô o Circumflex	732	Mid Vowel, r-like	440	b 449 k 458 t	683	a 691 i 700 s	837	Л 860 М
	771	Ô O Circumflex	316	Æ Digraph AE, u.c.	441	c 450 l 459 u	684	b 692 i 701 t	n.a.	861 Н
trough	766	đ Barred d	317	æ Digraph ae, l.c.	442	d 451 m 460 v	685	c 693 l 702 u	n.a.	862 П
pedestal	767	Ð Barred D	406	h Bar h	443	e 452 n 461 w	686	d 694 m 703 b	838	П 863 Ф
Mark	772	o Hooked o	817	Ph. Paired Sound Sym.	444	f 453 o 462 x	687	e 695 n 704 w	839	Ф 864 Ц
	773	O Hooked O	818	Angma. (elite)	445	g 454 p 463 y	91	f 696 o 705 r	840	Ц 865 Ч
	774	u Hooked u	882	Old English W u.c.	446	h 455 q 464 z	688	g 697 p 706 b	841	Ч 866 Ш
	775	U Hooked U	883	Old English W l.c.	447	i 456 r	689	h 698 q 707 a	842	Ш 867 Щ
AGE, ETC.	776	Tone Mark	913	Umlant A u.c.		XXI ENGLISH SCRIPT, ELITE (Upper Case)	690	i 699 r	843	Щ 868 Ъ
	496	Tick	914	Umlant O u.c.	605	A 594 J 244 R		XXIV ENGLISH SCRIPT, PICA, U.C.	844	Ъ 869 Ы
	497	Hamza	915	Umlant U u.c.	606	C 238 K 607 S	884	A 890 L 896 M	845	Ы 870 Ь
	500	Bar for “d”	1047	Turned C, u.c.	600	D 240 L 608 T	885	B 891 N 897 N	846	Ь 871 Э
	565	Turned a	996	Reversed P	234	E 242 n 609 U	886	C 892 L 898 O	847	Э 872 Ю
	566	Turned c	1045	Turned E	596	F 610 V	887	D 893 L 899 P	848	Ю 873 Я
	567	Turned f	988	B with Slash		(Lower Case)	888	E 894 K 900 Z	849	Я 874 Е
	568	Turned h	1005	Bar M	602	d 239 k 245 r	889	F 895 L 901 R	n.a.	
	569	Turned m	1032	Special V	235	e 241 l 400 p				
	570	Turned r	1004	Yen	309	G 243 n				
	571	Turned v	959	Wa, Jap.		XXII ENGLISH SCRIPT, PICA (Upper Case)				
	572	Turned w	960	·Ku, Jap.	708	G 534 J 718 S				
	573	Turned y	961	Wo, Jap.	709	H 92 K 719 T				
	646	Palatal h	923	dia (Jap.)	710	C 94 L 720 U				
“L” (Pol.)	577	“ESH”	924	ka (Jap.)	711	D 715 M 721 U				
“I” (Pol.)	531	Turned A	925	ta (Jap.)	88	E 96 n 722 W				
l.c.	537	Umlaut o	926	Dot over u.c.	712	F 716 O 723 X				
u.c.	538	Umlaut u	927	Dot over l.c.	713	G 392 P 724 Y				
over l.c.	575	Digraph oe	1044	Backward 3	533	H 717 Q 725 Z				
	574	Open e			714	J 98 R				
	536	“EDH”				(Lower Case)				
	488	Thorn, u.c.			89	e 95 l				
	490	Thorn, l.c.			93	k 97 n				



**TYPIT
INDEX
BOX**

Holds 36 Typits

For easy selection—typits stay in position in this attractive box of polished birch.

* NOTE — Tall symbols will occasionally fail to print full length with carbon ribbon machines. An additional strip of carbon paper or ribbon must then be held between TYPIT and platen.

TYPIT®

Write in stock numbers below which correspond to the typits selected

[illegible]

MODIFIED TYPE GUIDES

Circle the letters below which represent your typewriter—use the adjoining space to indicate how many guides are being ordered (one for each machine).

MODIFIED TYPE GUIDES:

— ADS
— ADE
— FTP
— HF
— HERS
— HERA
— HERA-DR
— HERP

—	IBME
—	FRN
—	OVTP
—	OVTP2
—	OVLE
—	OVD
—	OVTE
—	OLYP

_____ OLYS
_____ OLYE
_____ OTS
_____ REMSE
_____ REMP
_____ ROYS
_____ ROYE
_____ ROYG

_____	ROYP
_____	SCPE
_____	SCPE-II
_____	SCS
_____	TSE
_____	TSS
_____	UNDE
_____	UNDS2

TOTAL NO. OF TYPITS _____ TOTAL NO. OF GUIDES _____

TYPIT® INDEX BOXES


ORDER NO. _____ DEPT. _____ LOCATION _____

BY _____

NAME _____

ADDRESS _____

CITY _____ STATE _____ ZIP CODE _____



typit[®]

A precision product of Mechanical Enterprises, Inc., 3127 Colvin Street, Alexandria, Virginia 22314

Patent Number 3063541

GUARANTEE

Your TYPIT[®] equipment is fully guaranteed against defects in material and workmanship for a period of one year from date of purchase. Any defective equipment covered by this guarantee will be replaced by the manufacturer through your local authorized distributor. This guarantee does not cover damage caused by misuse or negligent handling. This guarantee is in lieu of any other warranty, either expressed or implied.

ASK YOUR LOCAL DISTRIBUTOR FOR YOUR GUARANTEE REGISTRATION CARD.

Special Symbols

For symbols designed specifically for your typing requirements, we will quote promptly without obligation. Submit a sketch or adequate description with each request. Size limitations for symbols are $\frac{7}{32}$ " high and $\frac{5}{32}$ " wide. Larger symbols must be designed for lighter inking to get satisfactory operation.

Prices

TYPITS FROM STOCK LIST
\$3.35 ea.

SPECIAL SYMBOLS
On Application

MODIFIED TYPE GUIDES
\$6.50 ea.
(installation extra)

MODIFIED TYPE GUIDES
IBM & FRN ONLY
\$8.50 ea.
(installation extra)

TYPIT® INDEX BOX
(capacity 36)
\$2.50 ea.

For installation costs, call your local distributor. Prices subject to change without notice.

PRINTED IN U.S.A.

How To Order

1. Select the appropriate modified type guide for your typewriter/s from the table below. Order one guide for each typewriter to be equipped for typits.

TYPE GUIDE	DESCRIPTION	TYPE GUIDE	DESCRIPTION	TYPE GUIDE	DESCRIPTION	TYPE GUIDE	DESCRIPTION
	ADS Adler, Manual Office Mods.		FRN Friden-Justewriter, Flexowriter.		OTS Optima Standard M 10, M 12, M14, Opticon.		SCS Smith Corona, Electric 3EE, 2EE; Manual Models KMM, KMG, HH, FP.
	ADE Adler, Electric Off. Mods.		OVTP Olivetti Studio 44.		REMSE Remington, All Office Models including Electric, except Noiseless Models.		TSE Triumph Electric and Adler Electric with the same Model Numbers: Mod. 11 to No. 7.420.595 Mod. 15 to No. 7.026.863 Mod. 20-21 to No. 7.320.591 Mod. 20-31 to No. 7.320.551.
	FTP Facit Portable Tp 1.		OVTP2 Olivetti Studio 44 After Ser. No. 268533.		REMP Remington, All Portable Models.		
	HF Facit T 1/T 2, ET 1-3 Facit Electric Halda 6-7.		OVLE Olivetti Lexicon 80 Olivetti Electric 84.		ROYS Royal Standard Mod. FP, KM, HH. Royal Electric Mod. RE,RP.		
	HERS Hermes 8-9.		OVD Olivetti 82 Diaspron.		ROYE Royal Electric Mod. HE.		TSS Triumph Electric and Adler Electric with the same Model Numbers: Mod. 11 after No. 7.420.596; Mod. 15 after No. 7.026.684; Mod. 21 after No. 7.320.592.
	HERA Hermes Ambassador.		OVTE Olivetti Tekne 3 Electric.		ROYG Royal Electric Mod. GA.		
	HERA-DR Hermes Ambassador, Dual Ribbon.		OLYP Olympia Portable Models SM-4, SM-3, SM-7*.		ROYP Royal Portable, All Mods.		
	HERP Hermes 3000.		OLYS Olympia SG 1 from No. 33501, SG 2, SG 3N, SG 3S.		SCPE Smith Corona, All Portable Manual Mods.; Electric Mods. Electra 12, 200*,250.		UNDE Underwood, All Electric Models including Raphael.
	IBME IBM Electric Model A,B,C Standard and Executive.		OLYE Olympia Electric all SGE Models.		SCPE-II As above for 1964 mods. on.		UNDS2 Underwood, Manual Models from Ser. No. 7,500,000 to present.

*Modified type guides are not available for any small flat portables (travel models)

2. Select the typits you need from the stock list inside. Type guides are available for most European models. Write us for specific information.)
3. Fill out the tear-off order blank and forward it to your Purchasing Dept. or directly to your local TYPIT® distributor.

WHY TYPED SYMBOLS?

There is no reason to use hand-lettered symbols on important reports and documents when TYPIT® is so economical, so easy to install, and so easy to use. TYPIT® symbols print sharp and clear with any ribbon. TYPIT® symbols add a new dimension, a wider range to every typewriter.

OPERATION

A TYPIT® with the desired symbol is selected and inserted in the modified type guide next to the platen. Strike any key and the rising type bar forces a small slide into the platen, thus printing the special symbol. The TYPIT® is then removed and normal typing continued. Each TYPIT® is clearly marked on the handle for rapid identification. The full operating time is approximately 4 seconds.

INSTALLATION

A qualified typewriter mechanic will replace the present type bar guide on your machine in only ten minutes. The special modified type guide will hold and locate your typits. The typewriter's normal operation will *not* be affected. Installations may be made on a wide variety of machines with complete interchangeability of TYPIT® symbols. Multiple installations in a single office can utilize an entire clerical staff for rush reports.

APPLICATION

For many years, TYPIT® has proven to be the ideal SYMBOL SYSTEM for scientists, engineers, mathematicians, linguists and technicians of every kind.

mathematical equations


$$\partial x \geq \eta \int \xi_{x+y} [a + b]^{-2\tau}, (\ddot{m} \rightarrow 0)$$

accents and diacritical marks

cañon, passé, Gruyère, façade


and many other special symbols

♣ ♠ ▲ £ § ¢ ♥ © ▮ ‡



Easy to INSTALL

A qualified typewriter mechanic replaces the present type guide in only ten minutes. Normal typewriter operation is not affected.



Easy to SELECT

Each TYPIT® symbol is clearly marked for easy selection from the index box.



Easy to TYPIT®

Insert the symbol. Strike any key. Presto! In 4 seconds you have a typed impression of the highest quality.

your local authorized Typit® distributor is:

Typit® a division of MECHANICAL ENTERPRISES, INC.
3127 Colvin Street/Alexandria, Virginia 703-549-3434